

Bangladesh - Standardised Expanded Nutrition Survey (SENS)

United Nations High Commissioner for Refugees (UNHCR)

Report generated on: June 11, 2025

Visit our data catalog at: <https://microdata.unhcr.org/index.php>

Identification

SURVEY ID NUMBER

UNHCR_BGD_BHC_2024_SENS

TITLE

Standardised Expanded Nutrition Survey (SENS)

COUNTRY

Name	Country code
Bangladesh	BGD

STUDY TYPE

Sample Frame, Households [sf/hh]

ABSTRACT

The 2024 Standardized Expanded Nutrition Survey (SENS) was conducted among Rohingya refugees residing on Bhasan Char Island, Bangladesh. The survey aimed to assess the health and nutrition status of the population and inform targeted interventions. At the time of data collection (18–24 September 2024), approximately 35,454 individuals had been relocated to the island from the Cox’s Bazar refugee camps. Led by UNHCR and implemented in collaboration with Concern Worldwide, WFP, UNICEF, BRAC, GK, RTMI, and Friendship, the survey used SENS Version 3 tools based on the SMART methodology. Findings indicated a medium prevalence of acute malnutrition (GAM: 8.8%) and critical levels of stunting (34.7%) among children under five. Anemia remained a major concern, affecting 40.3% of children and 24.1% of women of reproductive age. Improvements were observed in key infant and young child feeding (IYCF) practices and treatment coverage, though challenges persisted in water access and mosquito net coverage. The results support evidence-based planning and monitoring of health and nutrition programs for refugees on Bhasan Char.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Household

Version

VERSION DESCRIPTION

v2.1: Edited, cleaned, and anonymised data.

VERSION DATE

2025-06-11

Scope

NOTES

The scope includes:

- Demographic profile
- Mortality
- Anthropometric and child health indicators
- Anaemia among children and women
- IYCF practices
- Food consumption and coping strategies
- In-kind food assistance
- Ownership and use of mosquito nets
- Access to WASH services and hygiene products

TOPICS

Topic
Health and Nutrition
Water Sanitation Hygiene
Malaria Prevention and Control

KEYWORDS

Keyword
SENS
Bangladesh

Coverage

GEOGRAPHIC COVERAGE

Bhasan Char Island, Hatiya Upazila, Noakhali District, Chittagong Division, Bangladesh

UNIVERSE

All Rohingya refugee households residing on Bhasan Char Island at the time of the survey in September 2024

Producers and sponsors

PRIMARY INVESTIGATORS

Name
United Nations High Commissioner for Refugees (UNHCR)

PRODUCERS

Name
Concern Worldwide
National Nutrition Services (NNS)
UNICEF
World Food Programme (WFP)
BRAC
GK
RTMI
Friendship
CartONG

Sampling

SAMPLING PROCEDURE

Probability sampling using a simple random sampling design. Households were selected randomly from the UNHCR ProGres registration database. The defined address system on Bhasan Char facilitated accurate household identification.

WEIGHTING

No sampling weights were applied. All selected households were considered self-weighted due to the simple random sampling design.

Data collection

DATES OF DATA COLLECTION

Start	End
2024-09-18	2024-09-24

DATA COLLECTION MODE

Face-to-face [f2f]

DATA COLLECTION NOTES

Data collection was conducted using face-to-face interviews with electronic tablets running the ODK application. The standard SENS version 3 questionnaire was used, adapted with technical support from CartONG. Community Health and Nutrition Workers supported the identification of sampled households. Enumerators received daily feedback and supervision, and anthropometric data were validated using ENA for SMART software.

DATA COLLECTORS

Name
United Nations High Commissioner for Refugees (UNHCR)
Concern Worldwide
National Nutrition Services (NNS)
World Food Programme (WFP)
UNICEF
BRAC
GK
RTMI
Friendship

Questionnaires

QUESTIONNAIRES

SENS version 3 standard questionnaires covering demographic, health, nutrition, food security, IYCF, mosquito net, and WASH modules.

Access policy

CONTACTS

Name	Affiliation	Email
Curation team	UNHCR	dencomdl@unhcr.org

CITATION REQUIREMENTS

United Nations High Commissioner for Refugees (UNHCR) (2025). Bangladesh: Standardised Expanded Nutrition Survey (SENS). Accessed from: <https://microdata.unhcr.org>

Metadata production

DDI DOCUMENT ID

UNHCR_BGD_BHC_2024_SENS

PRODUCERS

Name
UNHCR

DATE OF METADATA PRODUCTION
2025-06-11

Data Dictionary

Data file	Cases	Variables
Children module This file contains the children module data dictionary.	246	105
Demographics & Mortality This file contains the Demographics & Mortality module data dictionary.	384	30
Food Security, Therapeutic Nutrition & WASH This file contains the Food Security, Therapeutic Nutrition & WASH module data dictionary.	200	40
Women Module This file contains the women module data dictionary.	364	14

Data file: Children module

This file contains the children module data dictionary.

Cases: 246

Variables: 105

Variables

ID	Name	Label	Question
children_module_V1	HHID_pseudo	ID	
children_module_V2	CAMPNAME_C	Camp name	
children_module_V3	SURVDAT	Survey date	
children_module_V4	CLUSTER_C	Cluster	
children_module_V5	SEX	Sex of \${CHNAME}:	
children_module_V6	MONTHS	Age of child in months	
children_module_V7	WEIGHT	Weight in kg	
children_module_V8	EDEMA	Presence of bilateral pitting oedema	
children_module_V9	MUAC	Middle upper arm circumference in mm or cm	
children_module_V10	AGE_DOC	Do you have an official age documentation for \${CHNAME}?	
children_module_V11	CHPRES	Is \${CHNAME} currently present in the household?	
children_module_V12	CLOTHES	Was \${CHNAME} dressed with clothes for the weight measurement?	
children_module_V13	MEASURE	Was \${CHNAME} measured lying down or standing up?	
children_module_V14	ENROL	Is \${CHNAME} currently being treated in [SC, OTP and TSFP- local name- pusti khana] for malnutrition? Verify by card and empty packet,	
children_module_V15	BSFP	Is \${CHNAME} currently enrolled in the BSFP?	
children_module_V16	MEASLES	Has \${CHNAME} been vaccinated against measles?	
children_module_V17	VITA	Has \${CHNAME} received a vitamin A capsule in the past 6 months?	
children_module_V18	DEWORM	Was \${CHNAME} given any drug for intestinal worms in the last six months?	
children_module_V19	DIAR	Has \${CHNAME} had diarrhoea in the past 2 weeks?	
children_module_V20	DIARORS	Did you give ORS sachets to \${CHNAME} when s/he had diarrhoea?	
children_module_V21	DIARZINC	Did you give zinc tablets or syrup to \${CHNAME} when s/he had diarrhea?	
children_module_V22	CHHB_GDL	\${CHNAME} 's haemoglobin (Hb) in g/dL (± 0.1 g/dl):	
children_module_V23	ASMAL	In the past two weeks, has \${CHNAME} had a cough with rapid or difficulty breathing AND a fever?	
children_module_V24	ASMAL_2	In the past two weeks, has \${CHNAME} had a fever BUT NO cough and rash?	
children_module_V25	EVERBF	Has \${CHNAME} ever been breastfed?	
children_module_V26	AMAL	If no, why \${CHNAME} was never breastfed?	
children_module_V27	INITBF	How long after birth did you first put \${CHNAME} to the breast?	
children_module_V28	AMAL_2	Why your child was not put to the breast immediately or within one hour?	
children_module_V29	othertodel	In the first 2 days after delivery, was \${CHNAME} given anything to drink or eat other than breastmilk ?	

ID	Name	Label	Question
children_module_V30	XFood	What was \${CHNAME} given in the first two days?	
children_module_V31	INFORM	What was \${CHNAME} given in the first two days?/Milk (other than breastmilk)	
children_module_V32	WATER	What was \${CHNAME} given in the first two days?/Plain water	
children_module_V33	WHEACOF	What was \${CHNAME} given in the first two days?/Sugar/Glucose water	
children_module_V34	JUICE	What was \${CHNAME} given in the first two days?/Honey	
children_module_V35	BROTH	What was \${CHNAME} given in the first two days?/Dates	
children_module_V36	YOGURT	What was \${CHNAME} given in the first two days?/Mustard oil	
children_module_V37	THINPOR	What was \${CHNAME} given in the first two days?/Cocoa	
children_module_V38	WATLQD	What was \${CHNAME} given in the first two days?/Gripe water	
children_module_V39	MILK	What was \${CHNAME} given in the first two days?/Fruit juice	
children_module_V40	INFORMFE	What was \${CHNAME} given in the first two days?/Infant formula	
children_module_V41	FLESHFD	What was \${CHNAME} given in the first two days?/Animal fat	
children_module_V42	FBF	What was \${CHNAME} given in the first two days?/Local herbs	
children_module_V43	FBFSUPER	What was \${CHNAME} given in the first two days?/Others (Please specify_____)	
children_module_V44	MNP	What was \${CHNAME} given in the first two days?/Don't know	
children_module_V45	WHYNOTBF2D	In the first two days after delivery, why \${CHNAME} was given anything other than breast milk to eat or drink?	
children_module_V46	COLOSTRUM	What did you do for the first Milk (Colostrum) after the birth of the baby?	
children_module_V47	COLOSTRUMWHY	If yes, why did you mainly squeeze out and throw away the first milk (Colostrum)?	
children_module_V48	YESTBF	Was \${CHNAME} breastfed yesterday during the day or at night?	
children_module_V49	YNOTBF	Why was \${CHNAME} not breastfed yesterday during the day or at night?	
children_module_V50	BOTTLE	Did \${CHNAME} drink anything from a bottle with a teat yesterday during the day or at night?	
children_module_V51	YBOTTLE	If bottle-feeding is yes, why \${CHNAME} drink anything from a bottle with a teat?	
children_module_V52	INFORM_TIMES	4B. Infant formula such as Myboy, Lactogen, Biomeal, Enfomeal, Prima, etc.	
children_module_V53	MILK_TIMES	4C. Milk such as tinned, powdered e.g. Nido, fresh, Pran, or fresh animal milk, packages milk e.g. Arong, Fresh, Milk Vita, Pran etc.	
children_module_V54	MILK_SWEET	If "Yes" How many times did \${CHNAME} drink Milk? If 7 or more, record "7" If number of times not known, record "88"	
children_module_V55	YOGURT_THICK	4E. Clear broth or clear soup	
children_module_V56	YOGURT_THICK_TIMES	4F. Semi solid/thick Yogurt other than drinks such as home made or bought from markets e.g. Arong, Pran, Milk Vita etc.	
children_module_V57	YOGURT_THICK_SWEET	If "yes": How many times did \${CHNAME} eat yogurt? If 7 or more, record "7" If number of times not known, record "88". "	
children_module_V58	YOGURT_DRINK	If "Yes": Was the yogurt or were any of these yogurts sweetened or flavored?	
children_module_V59	YOGURT_DRINK_TIMES	Homemade yogurt drinks or bought from market e.g. Pran, Matha, Gol Dowi, Labang, Lachi etc.	
children_module_V60	YOGURT_DRINK_SWEET	If "Yes" How many times did \${CHNAME} drink yogurt? If 7 or more, record "7" if number of times not known, record "88"	

ID	Name	Label	Question
children_module_V61	SODA	4G. Any type of thin porridge, for example made with WSB+, WSB++, rice powder, suji, cerelac or cerelac type other food etc.	
children_module_V62	TEA	Sodas, malt drinks, sports drinks, or energy drinks?	
children_module_V63	TEA_SWEET	Tea, coffee or herbal drinks?	
children_module_V64	CHOCODRINK	If "Yes": Was the drinks / were any of these drinks sweetened?	
children_module_V65	CHOCODRINK_SWEET	Chocolate-flavored drinks including those made from syrups or powders e.g. Ruh afza, Api tank, Espi, Foster Clark etc.	
children_module_V66	WATLQD_OTHER	If "Yes": please specify what was the liquid or what were the liquids	
children_module_V67	WATLQD_SWEET	If "Yes": Was the drink or were any of these drinks sweetened?	
children_module_V68	SPENUTF	Any specialized therapeutic or supplementary foods?	
children_module_V69	SPENUTF_NONE	Any specialized therapeutic or supplementary foods?/No	
children_module_V70	SPENUTF_MILK	Any specialized therapeutic or supplementary foods?/Therapeutic Milk e.g. F-75, F-100	
children_module_V71	WSB	Any specialized therapeutic or supplementary foods?/WSB	
children_module_V72	SPENUTF_DK	Any specialized therapeutic or supplementary foods?/Don't know	
children_module_V73	FOOD	Yesterday, during the day or at night, did \${CHNAME} eat solid or semi-solid (soft, mushy) food?	
children_module_V74	FOOD_TIMES	How many times did \${CHNAME} eat solid or semi solid foods other than liquids yesterday?	
children_module_V75	YNOFOOD	If No, why \${CHNAME} didn't eat solid or semi solid foods other than liquids yesterday?	
children_module_V76	FOOD_OTHER	If others, please specify	
children_module_V77	CRLROTU	Cereals/Grains, roots, tubers (maize, nan, chapatti, parata, bread, rice, potato, cassava, yams)	
children_module_V78	PULSE	Pulses, Legumes or Nuts (Lentils, Beans, Green Grams, Dried Peas, Seeds)	
children_module_V79	PROT	7A. Any meat, fish and poultry, such as beef, lamb, goat, chicken, liver, kidney, heart, or other organ meats, fresh or dried fish, sardines, seafood (e.g. shrimp), etc.	
children_module_V80	EGGS	Eggs	
children_module_V81	VITAV	Fruits and Vegetables rich in Vitamin A (e.g. carrot, pumpkin, red, yellow and orange sweet potato, mango, papaya, spinach, dark green leafy vegetables, long beans, red sweet capsicum, deep yellow and orange color squash etc.)	
children_module_V82	VEGL	Other fruit and vegetables (e.g. banana, apples, pineapple, watermelon, eggplant, onion, cucumbers, tomatoes, onion)	
children_module_V83	SWTS	Sweet foods such as chocolates, candies, pastries, cakes, biscuits, or frozen treats like ice cream and popsicles, or other commonly consumed sentinel sweet foods	
children_module_V84	SWTS_NONE	Sweet foods such as chocolates, candies, pastries, cakes, biscuits, or frozen treats like ice cream and popsicles, or other commonly consumed sentinel sweet foods/No	
children_module_V85	SWTS_CHOC	Sweet foods such as chocolates, candies, pastries, cakes, biscuits, or frozen treats like ice cream and popsicles, or other commonly consumed sentinel sweet foods/Chocolates	
children_module_V86	SWTS_CANDY	Sweet foods such as chocolates, candies, pastries, cakes, biscuits, or frozen treats like ice cream and popsicles, or other commonly consumed sentinel sweet foods/Candies	
children_module_V87	SWTS_PASTRY	Sweet foods such as chocolates, candies, pastries, cakes, biscuits, or frozen treats like ice cream and popsicles, or other commonly consumed sentinel sweet foods/Pastries	

ID	Name	Label	Question
children_module_V88	SWTS_BISCUIT	Sweet foods such as chocolates, candies, pastries, cakes, biscuits, or frozen treats like ice cream and popsicles, or other commonly consumed sentinel sweet foods/Cakes, Biscuits	
children_module_V89	SWTS_ICE	Sweet foods such as chocolates, candies, pastries, cakes, biscuits, or frozen treats like ice cream and popsicles, or other commonly consumed sentinel sweet foods/Frozen treats like Ice Cream and Popsicles	
children_module_V90	SWTS_OTHER	Sweet foods such as chocolates, candies, pastries, cakes, biscuits, or frozen treats like ice cream and popsicles, or other commonly consumed sentinel sweet foods/Other	
children_module_V91	SWTS_DK	Sweet foods such as chocolates, candies, pastries, cakes, biscuits, or frozen treats like ice cream and popsicles, or other commonly consumed sentinel sweet foods/Don't know	
children_module_V92	SWTS_SPECIFY	If others, please specify	
children_module_V93	FATS	Salty or fried foods e.g. chips, crisps, puffs, french fries, fried dough, instant noodles or other commonly consumed sentinel fried and salty foods	
children_module_V94	FATS_NONE	Salty or fried foods e.g. chips, crisps, puffs, french fries, fried dough, instant noodles or other commonly consumed sentinel fried and salty foods/No	
children_module_V95	FATS_CHIPS	Salty or fried foods e.g. chips, crisps, puffs, french fries, fried dough, instant noodles or other commonly consumed sentinel fried and salty foods/Any Chips, Crisps, Puffs etc	
children_module_V96	FATS_FF	Salty or fried foods e.g. chips, crisps, puffs, french fries, fried dough, instant noodles or other commonly consumed sentinel fried and salty foods/French Fries	
children_module_V97	FATS_DOUGH	Salty or fried foods e.g. chips, crisps, puffs, french fries, fried dough, instant noodles or other commonly consumed sentinel fried and salty foods/Fried Dough	
children_module_V98	FATS_NOODLE	Salty or fried foods e.g. chips, crisps, puffs, french fries, fried dough, instant noodles or other commonly consumed sentinel fried and salty foods/Instant Noodles	
children_module_V99	FATS_OTHER	Salty or fried foods e.g. chips, crisps, puffs, french fries, fried dough, instant noodles or other commonly consumed sentinel fried and salty foods/Other	
children_module_V100	FATS_DK	Salty or fried foods e.g. chips, crisps, puffs, french fries, fried dough, instant noodles or other commonly consumed sentinel fried and salty foods/Don't know	
children_module_V101	LNS	7F. [INSERT LNS PRODUCTS AVAILABLE IN THE LOCAL SETTING AND USE LOCAL NAMES] (e.g. Nutributter®, eeZee20™, Plumpy'doz®, eeZee50™)	
children_module_V102	FOODFE	7G. Iron fortified solid, semi-solid or soft foods designed specifically for infants and young children, for example Cerelac, Cereal, Baby Meal, and Eldobaby etc.)	
children_module_V103	SURVDATE	Survey date	
children_module_V104	CLUSTER	Cluster number	
children_module_V105	HEIGHT	Height in cm	

Total: 105

Data file: Demographics & Mortality

This file contains the Demographics & Mortality module data dictionary.

Cases: 384

Variables: 30

Variables

ID	Name	Label	Question
dm_module_V1	HHID_pseudo	ID	
dm_module_V2	CAMPNAME_W	Camp name	
dm_module_V3	CLUSTER	Cluster number	
dm_module_V4	SURVDAT	Survey date	
dm_module_V5	HH_W	Household size	
dm_module_V6	HHHSEX	What is the sex of the household head?	
dm_module_V7	HHHAGE	What is the age of the household head (years)?	
dm_module_V8	DMHHSIZE	What is the total number of household members?	
dm_module_V9	ratio_TOTU5	Ratio of children under 5 to household size	
dm_module_V10	ratio_TOTWM	Ratio of women to household size	
dm_module_V11	ratio_TOTPREG	Ratio of pregnant women to household size	
dm_module_V12	ratio_TOTFU2	Ratio of females under 2 to household size	
dm_module_V13	ratio_TOTMU2	Ratio of males under 2 to household size	
dm_module_V14	ratio_TOTU2	Ratio of children under 2 to household size	
dm_module_V15	ratio_TOTFU5	Ratio of females under 5 to household size	
dm_module_V16	ratio_TOTMU5	Ratio of males under 5 to household size	
dm_module_V17	ratio_TOTF514	Ratio of females aged 5-14 to household size	
dm_module_V18	ratio_TOTM514	Ratio of males aged 5-14 to household size	
dm_module_V19	ratio_TOT514	Ratio of children aged 5-14 to household size	
dm_module_V20	ratio_TOTFU15	Ratio of females under 15 to household size	
dm_module_V21	ratio_TOTMU15	Ratio of males under 15 to household size	
dm_module_V22	ratio_TOTU15	Ratio of individuals under 15 to household size	
dm_module_V23	ratio_TOTF1564	Ratio of females aged 15-64 to household size	
dm_module_V24	ratio_TOTM1564	Ratio of males aged 15-64 to household size	
dm_module_V25	ratio_TOT1564	Ratio of individuals aged 15-64 to household size	
dm_module_V26	ratio_TOTF65OLD	Ratio of females aged 65 and older to household size	
dm_module_V27	ratio_TOTM65OLD	Ratio of males aged 65 and older to household size	
dm_module_V28	ratio_TOT65OLD	Ratio of individuals aged 65 and older to household size	
dm_module_V29	ratio_HHFSIZE	Ratio of household females to total household size	
dm_module_V30	ratio_HHMSIZE	Ratio of household males to total household size	

Total: 30

Data file: Food Security, Therapeutic Nutrition & WASH

This file contains the Food Security, Therapeutic Nutrition & WASH module data dictionary.

Cases: 200

Variables: 40

Variables

ID	Name	Label	Question
fs_module_V1	HHID_pseudo	ID	
fs_module_V2	CAMPNAME	Camp name	
fs_module_V3	CLUSTER	Cluster number	
fs_module_V4	SURVDAT	Survey date	
fs_module_V5	HHFUEL	Cooking fuel used	
fs_module_V6	FUEL	Cooking fuel assistance	
fs_module_V7	FUELLAST	Days cooking fuel assistance lasted	
fs_module_V8	FSKIPMEAL	How many days did the fuel from the LPG distribution received in September last?	
fs_module_V9	GFDLAST	How many days did your household skip meals?	
fs_module_V10	LPG	How many pregnant women live in this household and slept here last night?	
fs_module_V11	TOTCH	# children 0-59 months live and slept in dwelling last night	
fs_module_V12	TOTPW	# pregnant live and slept in dwelling last night	
fs_module_V13	MOSNETS	Have mosquito nets for sleeping	
fs_module_V14	NUMNETS	# mosquito nets for sleeping	
fs_module_V15	TOTLN	# of LLIN mosquito nets	
fs_module_V16	TOTSLPNT	Total slept under any net	
fs_module_V17	TOTSLPLN	Total slept under long-lasting insecticidal nets (LLIN)	
fs_module_V18	TOTCHNT	Under 5 slept under any net	
fs_module_V19	TOTCHLN	Under 5 slept under long-lasting insecticidal nets (LLIN)	
fs_module_V20	TOTPWNT	Pregnant slept under any net	
fs_module_V21	TOTPWLN	Pregnant slept under long-lasting insecticidal nets (LLIN)	
fs_module_V22	HHSIZE	What is the total number of household members?	
fs_module_V23	SOURCE	What is the principal source of drinking water for members of your household?	
fs_module_V24	TOILET	Where do you and your household members (excluding children under 5) usually go to defecate?	
fs_module_V25	CHILDTOILET	Where do children under-5 living in this household usually go to defecate?	
fs_module_V26	TOILET_OTHER	If other, please specify	
fs_module_V27	CHILDFAECES	For the children under 5 that don't use the latrine, what is done with their faeces?	
fs_module_V28	XIntroWS2	EXPLAIN TO THE RESPONDENT THAT THESE QUESTIONS RELATE TO WATER USED FOR DOMESTIC PURPOSES. THIS INCLUDES: DRINKING, COOKING/FOOD PREPARATION, BATHING, AND PERSONAL HYGIENE PLUS LAUNDRY AND OTHER HOUSEHOLD CLEANING. EXCLUDED FROM THIS ARE ANIMAL USE, BRICK	
fs_module_V29	SOAP	Please show me the soap you have in the household.	

ID	Name	Label	Question
fs_module_V30	CONTAINER	How many containers do you have to collect or store water for domestic purposes for your house? Please show me all of them one by one.	
fs_module_V31	xTotVolCollectedPotable	xTotVolCollectedPotable	
fs_module_V32	xTotVolCollectedPotableProtected	xTotVolCollectedPotableProtected	
fs_module_V33	xTotVolCollectedAll	xTotVolCollectedAll	
fs_module_V34	xTotVolStorage	xTotVolStorage	
fs_module_V35	POTABLE	POTABLE	
fs_module_V36	POTAPROT	POTAPROT	
fs_module_V37	xAvgVolCollectedAll	xAvgVolCollectedAll	
fs_module_V38	STORAGE	STORAGE	
fs_module_V39	XXAvgLitPerPersonDay	Average liters of water collected per person per day	
fs_module_V40	XXTotLitDay	Total liters of water collected per household per day	

Total: 40

Data file: Women Module

This file contains the women module data dictionary.

Cases: 364

Variables: 14

Variables

ID	Name	Label	Question
wm_module_V1	HHID_pseudo	ID	
wm_module_V2	CAMPNAME_W	Camp name	
wm_module_V3	SURVDAT_W	Survey date	
wm_module_V4	CLUSTER_W	Cluster	
wm_module_V5	HH_W	Household size	
wm_module_V6	WMAGE	Age in years	
wm_module_V7	PREGNANT	Pregnant	
wm_module_V8	ANC	Antenatal care (ANC) programme	
wm_module_V9	FEREC	Receiving iron-folate pills	
wm_module_V10	LACTAT	Breastfeeding	
wm_module_V11	LACTATU6	Breastfeeding child under 6 months	
wm_module_V12	WMBSFP	Enrolled in the BSFP	
wm_module_V13	WMMUAC	MUAC in mm (± 1 mm) or cm (± 0.1 cm)	
wm_module_V14	WMHB_GDL	$\{WMNAME\}$'s haemoglobin (Hb) in g/dL (± 0.1 g/dl):	

Total: 14

HHID_PSEUDO: ID**Data file:** Children module**Overview**

Valid: 246 Invalid: 0

Type: Discrete Format: Character

AGE_DOC: Do you have an official age documentation for \${CHNAME}?**Data file:** Children module**Overview**

Valid: 246 Invalid: 0

Type: Discrete Format: Character

CAMPNAME_C: Camp name**Data file:** Children module**Overview**

Valid: 245 Invalid: 1

Type: Discrete Format: Character

SURVDAT: Survey date**Data file:** Children module**Overview**

Valid: 246 Invalid: 0

Type: Discrete Format: Character

CLUSTER_C: Cluster**Data file:** Children module**Overview**

Valid: 144 Invalid: 102

Type: Discrete Format: Character

SEX: Sex of \${CHNAME}:**Data file:** Children module**Overview**

Valid: 246 Invalid: 0

Type: Discrete Range: 1 - 2 Format: Factor

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	f	121	49.2%
2	m	125	50.8%

MONTHS: Age of child in months

Data file: Children module

Overview

Valid: 246 Invalid: 0

Type: Discrete Range: 1 - 56 Format: Factor

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	3	1	0.4%
2	4	2	0.8%
3	5	3	1.2%
4	6	4	1.6%
5	7	1	0.4%
6	8	1	0.4%
7	9	2	0.8%
8	10	4	1.6%
9	11	2	0.8%
10	12	5	2%
11	13	1	0.4%
12	14	4	1.6%
13	15	2	0.8%
14	16	3	1.2%
15	17	4	1.6%
16	18	4	1.6%
17	19	4	1.6%
18	20	5	2%
19	21	4	1.6%
20	22	4	1.6%
21	23	5	2%

22	24	4	1.6%
23	25	6	2.4%
24	26	4	1.6%
25	27	4	1.6%
26	28	1	0.4%
27	29	4	1.6%
28	30	1	0.4%
29	31	6	2.4%
30	32	8	3.3%
31	33	4	1.6%
32	34	5	2%
33	35	4	1.6%
34	36	7	2.8%
35	37	2	0.8%
36	38	8	3.3%
37	39	7	2.8%
38	40	5	2%
39	42	6	2.4%
40	43	7	2.8%
41	44	7	2.8%
42	45	7	2.8%
43	46	4	1.6%
44	47	7	2.8%
45	48	6	2.4%
46	49	3	1.2%
47	50	5	2%
48	51	2	0.8%
49	52	9	3.7%
50	53	4	1.6%
51	54	5	2%
52	55	5	2%
53	56	9	3.7%
54	57	6	2.4%
55	58	5	2%
56	59	4	1.6%

WEIGHT: Weight in kg

Data file: Children module

Overview

Valid: 237 Invalid: 9 Mean: 11.47 Standard deviation: 2.44
 Type: Continuous Range: 4.7 - 16.5 Format: Numeric

EDEMA: Presence of bilateral pitting oedema

Data file: Children module

Overview

Valid: 237 Invalid: 9
 Type: Discrete Format: Character

MUAC: Middle upper arm circumference in mm or cm

Data file: Children module

Overview

Valid: 236 Invalid: 10
 Type: Discrete Format: Character

CHPRES: Is \${CHNAME} currently present in the household?

Data file: Children module

Overview

Valid: 246 Invalid: 0
 Type: Discrete Format: Character

CLOTHES: Was \${CHNAME} dressed with clothes for the weight measurement?

Data file: Children module

Overview

Valid: 237 Invalid: 9
 Type: Discrete Format: Character

MEASURE: Was \${CHNAME} measured lying down or standing up?

Data file: Children module

Overview

Valid: 236 Invalid: 10
 Type: Discrete Format: Character

ENROL: Is \${CHNAME} currently being treated in [SC, OTP and TSFP-local name- pusti khana] for malnutrition? Verify by card and empty packet,

Data file: Children module

Overview

Valid: 238 Invalid: 8
Type: Discrete Format: Character

BSFP: Is \${CHNAME} currently enrolled in the BSFP?

Data file: Children module

Overview

Valid: 217 Invalid: 29
Type: Discrete Format: Character

MEASLES: Has \${CHNAME} been vaccinated against measles?

Data file: Children module

Overview

Valid: 234 Invalid: 12
Type: Discrete Format: Character

VITA: Has \${CHNAME} received a vitamin A capsule in the past 6 months?

Data file: Children module

Overview

Valid: 238 Invalid: 8
Type: Discrete Format: Character

DEWORM: Was \${CHNAME} given any drug for intestinal worms in the last six months?

Data file: Children module

Overview

Valid: 179 Invalid: 67
Type: Discrete Format: Character

DIAR: Has \${CHNAME} had diarrhoea in the past 2 weeks?

Data file: Children module

Overview

Valid: 238 Invalid: 8
Type: Discrete Format: Character

DIARORS: Did you give ORS sachets to \${CHNAME} when s/he had diarrhoea?**Data file:** Children module**Overview**

Valid: 27 Invalid: 219

Type: Discrete Format: Character

DIARZINC: Did you give zinc tablets or syrup to \${CHNAME} when s/he had diarrhea?**Data file:** Children module**Overview**

Valid: 27 Invalid: 219

Type: Discrete Format: Character

CHHB_GDL: \${CHNAME} 's haemoglobin (Hb) in g/dL (± 0.1 g/dl):**Data file:** Children module**Overview**

Valid: 236 Invalid: 10 Mean: 11.34 Standard deviation: 1.1

Type: Continuous Range: 7.2 - 14.4 Format: Numeric

ASMAL: In the past two weeks, has \${CHNAME} had a cough with rapid or difficulty breathing AND a fever?**Data file:** Children module**Overview**

Valid: 246 Invalid: 0

Type: Discrete Format: Character

ASMAL_2: In the past two weeks, has \${CHNAME} had a fever BUT NO cough and rash?**Data file:** Children module**Overview**

Valid: 246 Invalid: 0

Type: Discrete Format: Character

EVERBF: Has \${CHNAME} ever been breastfed?**Data file:** Children module

Overview

Valid: 67 Invalid: 179

Type: Discrete Format: Character

AMAL: If no, why \${CHNAME} was never breastfed?**Data file: Children module****Overview**

Valid: 0 Invalid: 246

Type: Discrete Format: Character

INITBF: How long after birth did you first put \${CHNAME} to the breast?**Data file: Children module****Overview**

Valid: 67 Invalid: 179

Type: Discrete Format: Character

AMAL_2: Why your child was not put to the breast immediately or within one hour?**Data file: Children module****Overview**

Valid: 9 Invalid: 237

Type: Discrete Format: Character

OTHERTODEL: In the first 2 days after delivery, was \${CHNAME} given anything to drink or eat other than breastmilk ?**Data file: Children module****Overview**

Valid: 67 Invalid: 179

Type: Discrete Format: Character

XFOOD: What was \${CHNAME} given in the first two days?**Data file: Children module****Overview**

Valid: 21 Invalid: 225

Type: Discrete Format: Character

INFORM: What was \${CHNAME} given in the first two days?/Milk (other than breastmilk)**Data file: Children module****Overview**

Valid: 21 Invalid: 225

Type: Discrete Range: 0 - 1 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		13	5.3%
1		8	3.3%
Missing value		225	91.5%

WATER: What was \${CHNAME} given in the first two days?/Plain water**Data file: Children module****Overview**

Valid: 21 Invalid: 225

Type: Discrete Range: 0 - 0 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		21	8.5%
Missing value		225	91.5%

WHEACOF: What was \${CHNAME} given in the first two days?/Sugar/Glucose water**Data file: Children module****Overview**

Valid: 21 Invalid: 225

Type: Discrete Range: 0 - 1 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		16	6.5%
1		5	2%

Missing value		225	91.5%
---------------	--	-----	-------

JUICE: What was \${CHNAME} given in the first two days?/Honey

Data file: Children module

Overview

Valid: 21 Invalid: 225

Type: Discrete Range: 0 - 1 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		15	6.1%
1		6	2.4%
Missing value		225	91.5%

BROTH: What was \${CHNAME} given in the first two days?/Dates

Data file: Children module

Overview

Valid: 21 Invalid: 225

Type: Discrete Range: 0 - 0 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		21	8.5%
Missing value		225	91.5%

YOGURT: What was \${CHNAME} given in the first two days?/Mustard oil

Data file: Children module

Overview

Valid: 21 Invalid: 225

Type: Discrete Range: 0 - 1 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		20	8.1%
1		1	0.4%
Missing value		225	91.5%

THINPOR: What was \${CHNAME} given in the first two days?/Cocoa

Data file: Children module

Overview

Valid: 21 Invalid: 225

Type: Discrete Range: 0 - 1 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		13	5.3%
1		8	3.3%
Missing value		225	91.5%

WATLQD: What was \${CHNAME} given in the first two days?/Gripe water

Data file: Children module

Overview

Valid: 21 Invalid: 225

Type: Discrete Range: 0 - 0 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		21	8.5%
Missing value		225	91.5%

MILK: What was \${CHNAME} given in the first two days?/Fruit juice

Data file: Children module

Overview

Valid: 21 Invalid: 225

Type: Discrete Range: 0 - 0 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		21	8.5%
Missing value		225	91.5%

INFORMFE: What was \${CHNAME} given in the first two days?/Infant formula

Data file: Children module

Overview

Valid: 21 Invalid: 225

Type: Discrete Range: 0 - 0 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		21	8.5%
Missing value		225	91.5%

FLESHFD: What was \${CHNAME} given in the first two days?/Animal fat

Data file: Children module

Overview

Valid: 21 Invalid: 225

Type: Discrete Range: 0 - 0 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		21	8.5%
Missing value		225	91.5%

FBF: What was \${CHNAME} given in the first two days?/Local herbs

Data file: Children module

Overview

Valid: 21 Invalid: 225

Type: Discrete Range: 0 - 1 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		20	8.1%
1		1	0.4%
Missing value		225	91.5%

FBFSUPER: What was \${CHNAME} given in the first two days?/Others (Please specify_____)

Data file: Children module

Overview

Valid: 21 Invalid: 225

Type: Discrete Range: 0 - 0 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		21	8.5%
Missing value		225	91.5%

MNP: What was \${CHNAME} given in the first two days?/Don't know

Data file: Children module

Overview

Valid: 21 Invalid: 225

Type: Discrete Range: 0 - 0 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		21	8.5%
Missing value		225	91.5%

WHYNOTBF2D: In the first two days after delivery, why \${CHNAME} was given anything other than breast milk to eat or drink?

Data file: Children module

Overview

Valid: 21 Invalid: 225

Type: Discrete Format: Character

COLOSTRUM: What did you do for the first Milk (Colostrum) after the birth of the baby?

Data file: Children module

Overview

Valid: 67 Invalid: 179

Type: Discrete Format: Character

COLOSTRUMWHY: If yes, why did you mainly squeeze out and throw away the first milk (Colostrum)?

Data file: Children module

Overview

Valid: 0 Invalid: 246

Type: Discrete Format: Logical

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	FALSE	0	0%
1	TRUE	0	0%
Missing value		246	100%

YESTBF: Was \${CHNAME} breastfed yesterday during the day or at night?

Data file: Children module

Overview

Valid: 67 Invalid: 179

Type: Discrete Format: Character

YNOTBF: Why was \${CHNAME} not breastfed yesterday during the day or at night?

Data file: Children module

Overview

Valid: 0 Invalid: 246

Type: Discrete Format: Character

BOTTLE: Did \${CHNAME} drink anything from a bottle with a teat yesterday during the day or at night?**Data file: Children module****Overview**

Valid: 67 Invalid: 179

Type: Discrete Format: Character

YBOTTLE: If bottle-feeding is yes, why \${CHNAME} drink anything from a bottle with a teat?**Data file: Children module****Overview**

Valid: 1 Invalid: 245

Type: Discrete Format: Character

INFORM_TIMES: 4B. Infant formula such as Myboy, Lactogen, Biomeal, Enfomeal, Prima, etc.**Data file: Children module****Overview**

Valid: 67 Invalid: 179

Type: Discrete Format: Character

MILK_TIMES: 4C. Milk such as tinned, powdered e.g. Nido, fresh, Pran, or fresh animal milk, packages milk e.g. Arong, Fresh, Milk Vita, Pran etc.**Data file: Children module****Overview**

Valid: 67 Invalid: 179

Type: Discrete Format: Character

MILK_SWEET: If "Yes" How many times did \${CHNAME} drink Milk? If 7 or more, record "7" If numer of times not known, record "88"**Data file: Children module****Overview**

Valid: 3 Invalid: 243

Type: Discrete Range: 1 - 2 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		2	0.8%
2		1	0.4%
Missing value		243	98.8%

YOGURT_THICK: 4E. Clear broth or clear soup

Data file: Children module

Overview

Valid: 67 Invalid: 179

Type: Discrete Format: Character

YOGURT_THICK_TIMES: 4F. Semi solid/thick Yogurt other than drinks such as home made or bought from markets e.g. Arong, Pran, Milk Vita etc.

Data file: Children module

Overview

Valid: 67 Invalid: 179

Type: Discrete Format: Character

YOGURT_THICK_SWEET: If "yes": How many times did \${CHNAME} eat yogurt? If 7 or more, record "7" If number of times not known, record "88". "

Data file: Children module

Overview

Valid: 0 Invalid: 246

Type: Discrete Format: Logical

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	FALSE	0	0%
1	TRUE	0	0%
Missing value		246	100%

YOGURT_DRINK: If "Yes": Was the yogurt or were any of these yogurts sweetened or flavored?**Data file: Children module****Overview**

Valid: 0 Invalid: 246

Type: Discrete Format: Logical

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	FALSE	0	0%
1	TRUE	0	0%
Missing value		246	100%

YOGURT_DRINK_TIMES: Homemade yogurt drinks or bought from market e.g. Pran, Matha, Gol Dowi, Labang, Lachi etc.**Data file: Children module****Overview**

Valid: 67 Invalid: 179

Type: Discrete Format: Character

YOGURT_DRINK_SWEET: If "Yes" How many times did \${CHNAME} drink yogurt? If 7 or more, record "7" if number of times not known, record "88"**Data file: Children module****Overview**

Valid: 5 Invalid: 241

Type: Discrete Range: 1 - 5 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		2	0.8%
2		1	0.4%
3		1	0.4%
5		1	0.4%
Missing value		241	98%

SODA: 4G. Any type of thin porridge, for example made with WSB+, WSB++, rice powder, suji, cerelac or cerelac type other food etc.

Data file: Children module

Overview

Valid: 67 Invalid: 179

Type: Discrete Format: Character

TEA: Sodas, malt drinks, sports drinks, or energy drinks?

Data file: Children module

Overview

Valid: 67 Invalid: 179

Type: Discrete Format: Character

TEA_SWEET: Tea, coffee or herbal drinks?

Data file: Children module

Overview

Valid: 67 Invalid: 179

Type: Discrete Format: Character

CHOCODRINK: If "Yes": Was the drinks / were any of these drinks sweetened?

Data file: Children module

Overview

Valid: 4 Invalid: 242

Type: Discrete Format: Character

CHOCODRINK_SWEET: Chocolate-flavored drinks including those made from syrups or powders e.g. Ruh afza, Api tank, Espi, Foster Clark etc.

Data file: Children module

Overview

Valid: 67 Invalid: 179

Type: Discrete Format: Character

WATLQD_OTHER: If "Yes": please specify what was the liquid or what were the liquids

Data file: Children module

Overview

Valid: 3 Invalid: 243

Type: Discrete Format: Character

WATLQD_SWEET: If "Yes": Was the drink or were any of these drinks sweetened?**Data file: Children module****Overview**

Valid: 3 Invalid: 243

Type: Discrete Format: Character

SPENUTF: Any specialized therapeutic or supplementary foods?**Data file: Children module****Overview**

Valid: 67 Invalid: 179

Type: Discrete Format: Character

SPENUTF_NONE: Any specialized therapeutic or supplementary foods?/No**Data file: Children module****Overview**

Valid: 67 Invalid: 179

Type: Discrete Range: 0 - 1 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		25	10.2%
1		42	17.1%
Missing value		179	72.8%

SPENUTF_MILK: Any specialized therapeutic or supplementary foods?/Therapeutic Milk e.g. F-75, F-100**Data file: Children module****Overview**

Valid: 67 Invalid: 179

Type: Discrete Range: 0 - 0 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		67	27.2%
Missing value		179	72.8%

WSB: Any specialized therapeutic or supplementary foods?/WSB**Data file:** Children module**Overview**

Valid: 67 Invalid: 179

Type: Discrete Range: 0 - 1 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		50	20.3%
1		17	6.9%
Missing value		179	72.8%

SPENUTF_DK: Any specialized therapeutic or supplementary foods?/Don't know**Data file:** Children module**Overview**

Valid: 67 Invalid: 179

Type: Discrete Range: 0 - 0 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		67	27.2%
Missing value		179	72.8%

FOOD: Yesterday, during the day or at night, did \${CHNAME} eat solid or semi-solid (soft, mushy) food?**Data file:** Children module**Overview**

Valid: 67 Invalid: 179

Type: Discrete Format: Character

FOOD_TIMES: How many times did \${CHNAME} eat solid or semi solid foods other than liquids yesterday?**Data file:** Children module**Overview**

Valid: 55 Invalid: 191

Type: Discrete Range: 1 - 5 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		2	0.8%
2		6	2.4%
3		14	5.7%
4		21	8.5%
5		12	4.9%
Missing value		191	77.6%

YNOFOOD: If No, why \${CHNAME} didn't eat solid or semi solid foods other than liquids yesterday?**Data file:** Children module**Overview**

Valid: 12 Invalid: 234

Type: Discrete Format: Character

FOOD_OTHER: If others, please specify**Data file:** Children module**Overview**

Valid: 0 Invalid: 246

Type: Discrete Format: Logical

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	FALSE	0	0%
1	TRUE	0	0%

Missing value		246	100%
---------------	--	-----	------

CRLROTU: Cereals/Grains, roots, tubers (maize, nan, chapatti, parata, bread, rice, potato, cassava, yams)

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Format: Character

PULSE: Pulses, Legumes or Nuts (Lentils, Beans, Green Grams, Dried Peas, Seeds)

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Format: Character

PROT: 7A. Any meat, fish and poultry, such as beef, lamb, goat, chicken, liver, kidney, heart, or other organ meats, fresh or dried fish, sardines, seafood (e.g. shrimp), etc.

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Format: Character

EGGS: Eggs

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Format: Character

VITAV: Fruits and Vegetables rich in Vitamin A (e.g. carrot, pumpkin, red, yellow and orange sweet potato, mango, papaya, spinach, dark green leafy vegetables, long beans, red sweet capsicum, deep yellow and orange color squash etc.)

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Format: Character

VEGL: Other fruit and vegetables (e.g. banana, apples, pineapple, watermelon, eggplant, onion, cucumbers, tomatoes, onion)

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Format: Character

SWTS: Sweet foods such as chocolates, candies, pastries, cakes, biscuits, or frozen treats like ice cream and popsicles, or other commonly consumed sentinel sweet foods

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Format: Character

SWTS_NONE: Sweet foods such as chocolates, candies, pastries, cakes, biscuits, or frozen treats like ice cream and popsicles, or other commonly consumed sentinel sweet foods/No

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Range: 0 - 1 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		40	16.3%
1		15	6.1%
Missing value		191	77.6%

SWTS_CHOC: Sweet foods such as chocolates, candies, pastries, cakes, biscuits, or frozen treats like ice cream and popsicles, or other commonly consumed sentinel sweet foods/Chocolates

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Range: 0 - 1 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		47	19.1%
1		8	3.3%
Missing value		191	77.6%

SWTS_CANDY: Sweet foods such as chocolates, candies, pastries, cakes, biscuits, or frozen treats like ice cream and popsicles, or other commonly consumed sentinel sweet foods/Candies

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Range: 0 - 0 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		55	22.4%
Missing value		191	77.6%

SWTS_PASTRY: Sweet foods such as chocolates, candies, pastries, cakes, biscuits, or frozen treats like ice cream and popsicles, or other commonly consumed sentinel sweet foods/Pastries

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Range: 0 - 0 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		55	22.4%
Missing value		191	77.6%

SWTS_BISCUIT: Sweet foods such as chocolates, candies, pastries, cakes, biscuits, or frozen treats like ice cream and popsicles, or other commonly consumed sentinel sweet foods/Cakes, Biscuits

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Range: 0 - 1 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		17	6.9%
1		38	15.4%
Missing value		191	77.6%

SWTS_ICE: Sweet foods such as chocolates, candies, pastries, cakes, biscuits, or frozen treats like ice cream and popsicles, or other commonly consumed sentinel sweet foods/Frozen treats like Ice Cream and Popsicles

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Range: 0 - 0 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		55	22.4%
Missing value		191	77.6%

SWTS_OTHER: Sweet foods such as chocolates, candies, pastries, cakes, biscuits, or frozen treats like ice cream and popsicles, or other commonly consumed sentinel sweet foods/Other

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Range: 0 - 0 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		55	22.4%
Missing value		191	77.6%

FATS_DK: Salty or fried foods e.g. chips, crisps, puffs, french fries, fried dough, instant noodles or other commonly consumed sentinel fried and salty foods/Don't know

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Range: 0 - 0 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		55	22.4%
Missing value		191	77.6%

SWTS_DK: Sweet foods such as chocolates, candies, pastries, cakes, biscuits, or frozen treats like ice cream and popsicles, or other commonly consumed sentinel sweet foods/Don't know

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Range: 0 - 0 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		55	22.4%
Missing value		191	77.6%

SWTS_SPECIFY: If others, please specify

Data file: Children module

Overview

Valid: 0 Invalid: 246

Type: Discrete Format: Logical

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	FALSE	0	0%
1	TRUE	0	0%
Missing value		246	100%

FATS: Salty or fried foods e.g. chips, crisps, puffs, french fries, fried dough, instant noodles or other commonly consumed sentinel fried and salty foods

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Format: Character

FATS_NONE: Salty or fried foods e.g. chips, crisps, puffs, french fries, fried dough, instant noodles or other commonly consumed sentinel fried and salty foods/No

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Range: 0 - 1 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		10	4.1%
1		45	18.3%
Missing value		191	77.6%

FATS_CHIPS: Salty or fried foods e.g. chips, crisps, puffs, french fries, fried dough, instant noodles or other commonly consumed sentinel fried and salty foods/Any Chips, Crisps, Puffs etc

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Range: 0 - 1 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		50	20.3%
1		5	2%
Missing value		191	77.6%

FATS_FF: Salty or fried foods e.g. chips, crisps, puffs, french fries, fried dough, instant noodles or other commonly consumed sentinel fried and salty foods/French Fries

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Range: 0 - 0 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		55	22.4%
Missing value		191	77.6%

FATS_DOUGH: Salty or fried foods e.g. chips, crisps, puffs, french fries, fried dough, instant noodles or other commonly consumed sentinel fried and salty foods/Fried Dough

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Range: 0 - 1 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		51	20.7%
1		4	1.6%

Missing value		191	77.6%
---------------	--	-----	-------

FATS_NOODLE: Salty or fried foods e.g. chips, crisps, puffs, french fries, fried dough, instant noodles or other commonly consumed sentinel fried and salty foods/Instant Noodles

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Range: 0 - 0 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		55	22.4%
Missing value		191	77.6%

FATS_OTHER: Salty or fried foods e.g. chips, crisps, puffs, french fries, fried dough, instant noodles or other commonly consumed sentinel fried and salty foods/Other

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Range: 0 - 0 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		55	22.4%
Missing value		191	77.6%

LNS: 7F. [INSERT LNS PRODUCTS AVAILABLE IN THE LOCAL SETTING AND USE LOCAL NAMES] (e.g. Nutributter®, eeZee20™, Plumpy'doz®, eeZee50™)

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Format: Character

FOODFE: 7G. Iron fortified solid, semi-solid or soft foods designed specifically for infants and young children, for example Cerelac, Cereal, Baby Meal, and Eldobaby etc.)

Data file: Children module

Overview

Valid: 55 Invalid: 191

Type: Discrete Format: Character

SURVDATE: Survey date

Data file: Children module

Overview

CLUSTER: Cluster number

Data file: Children module

Overview

Valid: 246 Invalid: 0

Type: Discrete Range: 5 - 96 Format: Integer

HEIGHT: Height in cm

Data file: Children module

Overview

Valid: 236 Invalid: 10 Mean: 88.35 Standard deviation: 10.19

Type: Continuous Range: 59.6 - 107.9 Format: Numeric

HHID_PSEUDO: ID**Data file: Demographics & Mortality****Overview**

Valid: 384 Invalid: 0

Type: Discrete Format: Character

RATIO_TOTWM: Ratio of women to household size**Data file: Demographics & Mortality****Overview**

Valid: 384 Invalid: 0 Mean: 0.26 Standard deviation: 0.15

Type: Continuous Range: 0 - 1 Format: Numeric

CAMPNAME_W: Camp name**Data file: Demographics & Mortality****Overview**

Valid: 384 Invalid: 0

Type: Discrete Format: Character

CLUSTER: Cluster number**Data file: Demographics & Mortality****Overview**

Valid: 29 Invalid: 355

Type: Discrete Range: 6 - 96 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
6		2	0.5%
7		1	0.3%
9		1	0.3%
10		1	0.3%
24		1	0.3%
25		1	0.3%
47		1	0.3%
51		1	0.3%
53		1	0.3%

54		1	0.3%
55		1	0.3%
57		1	0.3%
59		3	0.8%
60		1	0.3%
64		1	0.3%
65		2	0.5%
66		1	0.3%
70		3	0.8%
77		1	0.3%
84		1	0.3%
94		2	0.5%
96		1	0.3%
Missing value		355	92.4%

SURVDAT: Survey date

Data file: Demographics & Mortality

Overview

Valid: 384 Invalid: 0

Type: Discrete Format: Character

HH_W: Household size

Data file: Demographics & Mortality

Overview

Valid: 384 Invalid: 0

Type: Discrete Range: 1 - 420 Format: Integer

HHHSEX: What is the sex of the household head?

Data file: Demographics & Mortality

Overview

Valid: 384 Invalid: 0

Type: Discrete Format: Character

HHHAGE: What is the age of the household head (years)?

Data file: Demographics & Mortality

Overview

Valid: 380 Invalid: 4
 Type: Discrete Format: Character

DMHHSIZE: What is the total number of household members?

Data file: Demographics & Mortality

Overview

Valid: 343 Invalid: 41
 Type: Discrete Range: 1 - 10 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		7	1.8%
2		34	8.9%
3		46	12%
4		76	19.8%
5		61	15.9%
6		60	15.6%
7		23	6%
8		14	3.6%
9		15	3.9%
10		7	1.8%
Missing value		41	10.7%

RATIO_TOTU5: Ratio of children under 5 to household size

Data file: Demographics & Mortality

Overview

Valid: 384 Invalid: 0 Mean: 0.19 Standard deviation: 0.17
 Type: Continuous Range: 0 - 0.666666666666667 Format: Numeric

RATIO_TOTPREG: Ratio of pregnant women to household size

Data file: Demographics & Mortality

Overview

Valid: 384 Invalid: 0 Mean: 0.02 Standard deviation: 0.07
 Type: Continuous Range: 0 - 0.5 Format: Numeric

RATIO_TOTFU2: Ratio of females under 2 to household size**Data file: Demographics & Mortality****Overview**

Valid: 384 Invalid: 0 Mean: 0.04 Standard deviation: 0.09
 Type: Continuous Range: 0 - 0.5 Format: Numeric

RATIO_TOTMU2: Ratio of males under 2 to household size**Data file: Demographics & Mortality****Overview**

Valid: 384 Invalid: 0 Mean: 0.04 Standard deviation: 0.09
 Type: Continuous Range: 0 - 0.5 Format: Numeric

RATIO_TOTU2: Ratio of children under 2 to household size**Data file: Demographics & Mortality****Overview**

Valid: 384 Invalid: 0 Mean: 0.08 Standard deviation: 0.11
 Type: Continuous Range: 0 - 0.5 Format: Numeric

RATIO_TOTFU5: Ratio of females under 5 to household size**Data file: Demographics & Mortality****Overview**

Valid: 384 Invalid: 0 Mean: 0.09 Standard deviation: 0.14
 Type: Continuous Range: 0 - 0.6 Format: Numeric

RATIO_TOTMU5: Ratio of males under 5 to household size**Data file: Demographics & Mortality****Overview**

Valid: 384 Invalid: 0 Mean: 0.09 Standard deviation: 0.15
 Type: Continuous Range: 0 - 0.6 Format: Numeric

RATIO_TOTF514: Ratio of females aged 5-14 to household size**Data file: Demographics & Mortality**

Overview

Valid: 384 Invalid: 0 Mean: 0.13 Standard deviation: 0.16
 Type: Continuous Range: 0 - 0.66666666666667 Format: Numeric

RATIO_TOTM514: Ratio of males aged 5-14 to household size

Data file: Demographics & Mortality

Overview

Valid: 384 Invalid: 0 Mean: 0.14 Standard deviation: 0.16
 Type: Continuous Range: 0 - 0.66666666666667 Format: Numeric

RATIO_TOT514: Ratio of children aged 5-14 to household size

Data file: Demographics & Mortality

Overview

Valid: 384 Invalid: 0 Mean: 0.27 Standard deviation: 0.22
 Type: Continuous Range: 0 - 0.83333333333333 Format: Numeric

RATIO_TOTFU15: Ratio of females under 15 to household size

Data file: Demographics & Mortality

Overview

Valid: 384 Invalid: 0 Mean: 0.23 Standard deviation: 0.2
 Type: Continuous Range: 0 - 0.75 Format: Numeric

RATIO_TOTMU15: Ratio of males under 15 to household size

Data file: Demographics & Mortality

Overview

Valid: 384 Invalid: 0 Mean: 0.23 Standard deviation: 0.19
 Type: Continuous Range: 0 - 0.66666666666667 Format: Numeric

RATIO_TOTU15: Ratio of individuals under 15 to household size

Data file: Demographics & Mortality

Overview

Valid: 384 Invalid: 0 Mean: 0.46 Standard deviation: 0.22
 Type: Continuous Range: 0 - 0.83333333333333 Format: Numeric

RATIO_TOTF1564: Ratio of females aged 15-64 to household size**Data file: Demographics & Mortality****Overview**

Valid: 384 Invalid: 0 Mean: 0.29 Standard deviation: 0.17
 Type: Continuous Range: 0 - 1 Format: Numeric

RATIO_TOTM1564: Ratio of males aged 15-64 to household size**Data file: Demographics & Mortality****Overview**

Valid: 384 Invalid: 0 Mean: 0.23 Standard deviation: 0.14
 Type: Continuous Range: 0 - 0.666666666666667 Format: Numeric

RATIO_TOT1564: Ratio of individuals aged 15-64 to household size**Data file: Demographics & Mortality****Overview**

Valid: 384 Invalid: 0 Mean: 0.52 Standard deviation: 0.22
 Type: Continuous Range: 0 - 1 Format: Numeric

RATIO_TOTF65OLD: Ratio of females aged 65 and older to household size**Data file: Demographics & Mortality****Overview**

Valid: 384 Invalid: 0 Mean: 0.01 Standard deviation: 0.09
 Type: Continuous Range: 0 - 1 Format: Numeric

RATIO_TOTM65OLD: Ratio of males aged 65 and older to household size**Data file: Demographics & Mortality****Overview**

Valid: 384 Invalid: 0 Mean: 0.01 Standard deviation: 0.06
 Type: Continuous Range: 0 - 0.5 Format: Numeric

RATIO_TOT65OLD: Ratio of individuals aged 65 and older to household size**Data file: Demographics & Mortality****Overview**

Valid: 384 Invalid: 0 Mean: 0.02 Standard deviation: 0.13
 Type: Continuous Range: 0 - 1 Format: Numeric

RATIO_HHFSIZE: Ratio of household females to total household size**Data file: Demographics & Mortality****Overview**

Valid: 384 Invalid: 0 Mean: 0.53 Standard deviation: 0.2
Type: Continuous Range: 0 - 1 Format: Numeric

RATIO_HHMSIZE: Ratio of household males to total household size**Data file: Demographics & Mortality****Overview**

Valid: 384 Invalid: 0 Mean: 0.47 Standard deviation: 0.2
Type: Continuous Range: 0 - 1 Format: Numeric

HHID_PSEUDO: ID**Data file: Food Security, Therapeutic Nutrition & WASH****Overview**

Valid: 200 Invalid: 0

Type: Discrete Format: Character

LPG: How many pregnant women live in this household and slept here last night?**Data file: Food Security, Therapeutic Nutrition & WASH****Overview**

Valid: 23 Invalid: 177

Type: Discrete Range: 0 - 6 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4	2%
1		3	1.5%
2		5	2.5%
3		5	2.5%
4		2	1%
5		1	0.5%
6		3	1.5%
Missing value		177	88.5%

CAMPNAME: Camp name**Data file: Food Security, Therapeutic Nutrition & WASH****Overview**

Valid: 200 Invalid: 0

Type: Discrete Format: Character

CLUSTER: Cluster number**Data file: Food Security, Therapeutic Nutrition & WASH****Overview**

Valid: 165 Invalid: 35

Type: Discrete Range: 1 - 62 Format: Factor

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	5	5	2.5%
2	6	5	2.5%
3	7	5	2.5%
4	8	3	1.5%
5	9	0	0%
6	10	3	1.5%
7	11	0	0%
8	12	0	0%
9	23	3	1.5%
10	24	5	2.5%
11	25	3	1.5%
12	26	3	1.5%
13	27	3	1.5%
14	28	4	2%
15	47	0	0%
16	48	3	1.5%
17	49	6	3%
18	50	5	2.5%
19	51	3	1.5%
20	52	3	1.5%
21	53	3	1.5%
22	54	4	2%
23	55	3	1.5%
24	56	3	1.5%
25	57	6	3%
26	58	3	1.5%
27	59	4	2%
28	60	0	0%
29	61	4	2%
30	62	6	3%
31	63	0	0%
32	64	3	1.5%
33	65	5	2.5%
34	66	0	0%
35	67	0	0%

36	68	4	2%
37	69	0	0%
38	70	7	3.5%
39	71	0	0%
40	72	3	1.5%
41	73	3	1.5%
42	74	4	2%
43	75	4	2%
44	76	0	0%
45	77	3	1.5%
46	78	5	2.5%
47	79	0	0%
48	80	0	0%
49	81	0	0%
50	82	5	2.5%
51	83	3	1.5%
52	84	3	1.5%
53	85	0	0%
54	86	0	0%
55	87	0	0%
56	88	3	1.5%
57	89	0	0%
58	90	0	0%
59	93	0	0%
60	94	5	2.5%
61	95	3	1.5%
62	96	4	2%
Missing value		35	17.5%

SURVDAT: Survey date**Data file: Food Security, Therapeutic Nutrition & WASH****Overview**

Valid: 200 Invalid: 0

Type: Discrete Format: Character

HHFUEL: Cooking fuel used**Data file: Food Security, Therapeutic Nutrition & WASH**

Overview

Valid: 200 Invalid: 0
 Type: Discrete Format: Character

FUEL: Cooking fuel assistance

Data file: Food Security, Therapeutic Nutrition & WASH

Overview

Valid: 200 Invalid: 0
 Type: Discrete Format: Character

FUELLAST: Days cooking fuel assistance lasted

Data file: Food Security, Therapeutic Nutrition & WASH

Overview

Valid: 200 Invalid: 0
 Type: Discrete Format: Character

FSKIPMEAL: How many days did the fuel from the LPG distribution received in September last?

Data file: Food Security, Therapeutic Nutrition & WASH

Overview

Valid: 194 Invalid: 6
 Type: Discrete Range: 12 - 50 Format: Integer

GFDLAST: How many days did your household skip meals?

Data file: Food Security, Therapeutic Nutrition & WASH

Overview

Valid: 200 Invalid: 0
 Type: Discrete Format: Character

TOTCH: # children 0-59 months live and slept in dwelling last night

Data file: Food Security, Therapeutic Nutrition & WASH

Overview

Valid: 200 Invalid: 0
 Type: Discrete Range: 1 - 10 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		6	3%
2		26	13%
3		25	12.5%
4		46	23%
5		34	17%
6		30	15%
7		15	7.5%
8		7	3.5%
9		8	4%
10		3	1.5%

TOTPW: # pregnant live and slept in dwelling last night

Data file: Food Security, Therapeutic Nutrition & WASH

Overview

Valid: 200 Invalid: 0

Type: Discrete Range: 0 - 4 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		79	39.5%
1		63	31.5%
2		49	24.5%
3		8	4%
4		1	0.5%

MOSNETS: Have mosquito nets for sleeping

Data file: Food Security, Therapeutic Nutrition & WASH

Overview

Valid: 200 Invalid: 0

Type: Discrete Format: Character

NUMNETS: # mosquito nets for sleeping**Data file: Food Security, Therapeutic Nutrition & WASH****Overview**

Valid: 200 Invalid: 0

Type: Discrete Format: Character

TOTLN: # of LLIN mosquito nets**Data file: Food Security, Therapeutic Nutrition & WASH****Overview**

Valid: 199 Invalid: 1

Type: Discrete Format: Character

TOTSLPNT: Total slept under any net**Data file: Food Security, Therapeutic Nutrition & WASH****Overview**

Valid: 199 Invalid: 1

Type: Discrete Format: Character

TOTSLPLN: Total slept under long-lasting insecticidal nets (LLIN)**Data file: Food Security, Therapeutic Nutrition & WASH****Overview**

Valid: 199 Invalid: 1

Type: Discrete Format: Character

TOTCHNT: Under 5 slept under any net**Data file: Food Security, Therapeutic Nutrition & WASH****Overview**

Valid: 199 Invalid: 1

Type: Discrete Format: Character

TOTCHLN: Under 5 slept under long-lasting insecticidal nets (LLIN)**Data file: Food Security, Therapeutic Nutrition & WASH****Overview**

Valid: 199 Invalid: 1

Type: Discrete Format: Character

TOTPWNT: Pregnant slept under any net**Data file: Food Security, Therapeutic Nutrition & WASH****Overview**

Valid: 199 Invalid: 1

Type: Discrete Format: Character

TOTPWLN: Pregnant slept under long-lasting insecticidal nets (LLIN)**Data file: Food Security, Therapeutic Nutrition & WASH****Overview**

Valid: 199 Invalid: 1

Type: Discrete Format: Character

HHSIZE: What is the total number of household members?**Data file: Food Security, Therapeutic Nutrition & WASH****Overview**

Valid: 200 Invalid: 0

Type: Discrete Range: 1 - 10 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		3	1.5%
2		26	13%
3		29	14.5%
4		45	22.5%
5		33	16.5%
6		29	14.5%
7		15	7.5%
8		7	3.5%
9		9	4.5%
10		4	2%

SOURCE: What is the principal source of drinking water for members of your household?**Data file: Food Security, Therapeutic Nutrition & WASH**

Overview

Valid: 200 Invalid: 0
 Type: Discrete Format: Character

TOILET: Where do you and your household members (excluding children under 5) usually go to defecate?

Data file: Food Security, Therapeutic Nutrition & WASH

Overview

Valid: 200 Invalid: 0
 Type: Discrete Format: Character

CHILDTOILET: Where do children under-5 living in this household usually go to defecate?

Data file: Food Security, Therapeutic Nutrition & WASH

Overview

Valid: 200 Invalid: 0
 Type: Discrete Format: Character

TOILET_OTHER: If other, please specify

Data file: Food Security, Therapeutic Nutrition & WASH

Overview

Valid: 7 Invalid: 193
 Type: Discrete Format: Character

CHILDFAECES: For the children under 5 that don't use the latrine, what is done with their faeces?

Data file: Food Security, Therapeutic Nutrition & WASH

Overview

Valid: 71 Invalid: 129
 Type: Discrete Format: Character

XINTROWS2: EXPLAIN TO THE RESPONDENT THAT THESE QUESTIONS RELATE TO WATER USED FOR DOMESTIC PURPOSES. THIS INCLUDES: DRINKING, COOKING/FOOD PREPARATION, BATHING, AND PERSONAL HYGIENE PLUS LAUNDRY AND OTHER HOUSEHOLD CLEANING. EXCLUDED FROM THIS ARE ANIMAL USE, BRICK

Data file: Food Security, Therapeutic Nutrition & WASH

Overview

Valid: 0 Invalid: 200

Type: Discrete Format: Logical

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	FALSE	0	0%
1	TRUE	0	0%
Missing value		200	100%

SOAP: Please show me the soap you have in the household.**Data file: Food Security, Therapeutic Nutrition & WASH****Overview**

Valid: 200 Invalid: 0

Type: Discrete Format: Character

CONTAINER: How many containers do you have to collect or store water for domestic purposes for your house? Please show me all of them one by one.**Data file: Food Security, Therapeutic Nutrition & WASH****Overview**

Valid: 200 Invalid: 0

Type: Discrete Range: 1 - 11 Format: Integer

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		2	1%
2		34	17%
3		71	35.5%
4		34	17%
5		30	15%
6		9	4.5%
7		10	5%
8		6	3%
9		1	0.5%
10		1	0.5%
11		2	1%

XTOTVOLCOLLECTEDPOTABLE: xTotVolCollectedPotable**Data file: Food Security, Therapeutic Nutrition & WASH****Overview**

Valid: 200 Invalid: 0

Type: Discrete Format: Character

XTOTVOLCOLLECTEDPOTABLEPROTECTED: xTotVolCollectedPotableProtected**Data file: Food Security, Therapeutic Nutrition & WASH****Overview**

Valid: 200 Invalid: 0

Type: Discrete Format: Character

XTOTVOLCOLLECTEDALL: xTotVolCollectedAll**Data file: Food Security, Therapeutic Nutrition & WASH****Overview**

Valid: 200 Invalid: 0

Type: Discrete Format: Character

XTOTVOLSTORAGE: xTotVolStorage**Data file: Food Security, Therapeutic Nutrition & WASH****Overview**

Valid: 200 Invalid: 0

Type: Discrete Format: Character

POTABLE: POTABLE**Data file: Food Security, Therapeutic Nutrition & WASH****Overview**

Valid: 200 Invalid: 0 Mean: 25.64 Standard deviation: 17.3

Type: Continuous Range: 2 - 124 Format: Numeric

POTAPROT: POTAPROT**Data file: Food Security, Therapeutic Nutrition & WASH**

Overview

Valid: 200 Invalid: 0
 Type: Discrete Format: Character

XAVGVOLCOLLECTEDALL: xAvgVolCollectedAll

Data file: Food Security, Therapeutic Nutrition & WASH

Overview

Valid: 200 Invalid: 0
 Type: Discrete Format: Character

STORAGE: STORAGE

Data file: Food Security, Therapeutic Nutrition & WASH

Overview

Valid: 200 Invalid: 0
 Type: Discrete Format: Character

XXAVGLITPERPERSONDAY: Average liters of water collected per person per day

Data file: Food Security, Therapeutic Nutrition & WASH

Overview

Valid: 200 Invalid: 0 Mean: 7.79 Standard deviation: 10.2
 Type: Continuous Range: 0.4 - 80 Format: Numeric

XTOTLITDAY: Total liters of water collected per household per day

Data file: Food Security, Therapeutic Nutrition & WASH

Overview

Valid: 200 Invalid: 0 Mean: 109.82 Standard deviation: 69.66
 Type: Continuous Range: 10 - 400 Format: Numeric

HHID_PSEUDO: ID**Data file: Women Module****Overview**

Valid: 364 Invalid: 0

Type: Discrete Format: Character

LACTAT: Breastfeeding**Data file: Women Module****Overview**

Valid: 364 Invalid: 0

Type: Discrete Format: Character

CAMPNAME_W: Camp name**Data file: Women Module****Overview**

Valid: 364 Invalid: 0

Type: Discrete Format: Character

SURVDAT_W: Survey date**Data file: Women Module****Overview****CLUSTER_W: Cluster****Data file: Women Module****Overview**

Valid: 110 Invalid: 254

Type: Discrete Format: Character

HH_W: Household size**Data file: Women Module****Overview**

Valid: 363 Invalid: 1

Type: Discrete Range: 1 - 2 Format: Factor

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	1	0	0%
2	10	363	99.7%
Missing value		1	0.3%

WMAGE: Age in years

Data file: Women Module

Overview

Valid: 362 Invalid: 2

Type: Discrete Range: 1 - 7 Format: Factor

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	15-19	28	7.7%
2	20-24	93	25.5%
3	25-29	81	22.3%
4	30-34	70	19.2%
5	35-39	44	12.1%
6	40-44	28	7.7%
7	45-49	18	4.9%
Missing value		2	0.5%

PREGNANT: Pregnant

Data file: Women Module

Overview

Valid: 364 Invalid: 0

Type: Discrete Format: Character

ANC: Antenatal care (ANC) programme

Data file: Women Module

Overview

Valid: 30 Invalid: 334

Type: Discrete Format: Character

FEREC: Receiving iron-folate pills**Data file: Women Module****Overview**

Valid: 30 Invalid: 334

Type: Discrete Format: Character

LACTATU6: Breastfeeding child under 6 months**Data file: Women Module****Overview**

Valid: 120 Invalid: 244

Type: Discrete Format: Character

WMBSFP: Enrolled in the BSFP**Data file: Women Module****Overview**

Valid: 54 Invalid: 310

Type: Discrete Format: Character

WMMUAC: MUAC in mm (± 1 mm) or cm (± 0.1 cm)**Data file: Women Module****Overview**

Valid: 364 Invalid: 0

Type: Discrete Format: Character

WMHB_GDL: \${WMNAME}'s haemoglobin (Hb) in g/dL (± 0.1 g/dl):**Data file: Women Module****Overview**

Valid: 173 Invalid: 191 Mean: 12.62 Standard deviation: 1.39

Type: Continuous Range: 7.2 - 16.2 Format: Numeric

