

Table SE.1: Indicators selected for sampling error calculations

List of indicators selected for sampling error calculations, and base populations (denominators) for each indicator, Palestinians' Refugee Camps in Lebanon, 2006

MICS Indicator		Base Population
HOUSEHOLDS		
41	Iodized salt consumption	All households
74	Child discipline	Children aged 2-14 years selected
HOUSEHOLD MEMBERS		
11	Use of improved drinking water sources	All household members
12	Use of improved sanitation facilities	All household members
55	Net primary school attendance rate	Children of primary school age
56	Net secondary school attendance rate	Children of secondary school age
59	Primary completion rate	Children of primary school completion age
71	Child labour	Children aged 5-14 years
75	Prevalence of orphans	Children aged under 18
WOMEN		
4	Skilled attendant at delivery	Women aged 15-49 years with a live birth in the last 2 years
20	Antenatal care	Women aged 15-49 years with a live birth in the last 2 years
21	Contraceptive prevalence	Women aged 15-49 currently married
60	Adult literacy	Women aged 15-24 years
63	Prevalence of female genital mutilation/cutting (FGM/C)	Women aged 15-49 years
67	Marriage before age 18	Women aged 20-49 years
70	Polygyny	Women aged 15-49 years currently married
82	Comprehensive knowledge about HIV prevention among young people	Women aged 15-24 years
86	Attitude towards people with HIV/AIDS	Women aged 15-49 years
89	Knowledge of mother- to-child transmission of HIV	Women aged 15-49 years
UNDER-5s		
6	Underweight prevalence	Children under age 5
25	Tuberculosis immunization coverage	Children aged 12-23 months
26	Polio immunization coverage	Children aged 12-23 months
27	Immunization coverage for DPT	Children aged 12-23 months
28	Measles immunization coverage	Children aged 12-23 months
31	Fully immunized children	Children aged 12-23 months
	- Acute respiratory infection in last two weeks	Children under age 5
22	Antibiotic treatment of suspected pneumonia	Children under age 5 with suspected pneumonia in the last 2 weeks
	- Diarrhoea in last two weeks	Children under age 5
35	Received ORT or increased fluids and continued feeding	Children under age 5 with diarrhoea in the last 2 weeks
46	Support for learning	Children under age 5
62	Birth registration	Children under age 5

Table SE.2: Sampling errors: Total sample

Standard errors, coefficients of variation, design effects (*deff*), square root of design effects (*deft*) and confidence intervals for selected indicators, Palestinians' Refugee Camps in Lebanon, 2006

	Table	Value (<i>r</i>)	Standard error (<i>se</i>)	Coefficient of variation (<i>se/r</i>)	Design effect (<i>deff</i>)	Square root of design effect (<i>deft</i>)	Confidence limits		
							<i>r</i> - <i>2se</i>	<i>r</i> + <i>2se</i>	
HOUSEHOLDS									
Iodized salt consumption	NU.5	0.999	0.001	0.001	1.224	1.106	6102	6102	0.997 1.000
Child discipline	CP.4	0.950	0.004	0.005	1.287	1.134	3282	3282	0.942 0.959
HOUSEHOLD MEMBERS									
Use of improved drinking water sources	EN.1	0.912	0.008	0.008	4.600	2.145	29126	6167	0.897 0.928
Use of improved sanitation facilities	EN.5	0.999	0.000	0.000	1.248	1.117	29126	6167	0.999 1.000
Net primary school attendance rate	ED.3	0.947	0.004	0.004	1.166	1.080	4054	4054	0.940 0.955
Net secondary school attendance rate	ED.4	0.634	0.009	0.015	1.786	1.336	4663	4663	0.615 0.653
Primary completion rate	ED.6	0.374	0.019	0.050	1.019	1.009	687	687	0.337 0.411
Child labour	CP.2	0.015	0.002	0.151	2.504	1.582	7185	7185	0.010 0.020
Prevalence of orphans	HA.10	0.038	0.003	0.082	3.192	1.787	11930	11930	0.032 0.044
WOMEN									
Skilled attendant at delivery	RH.5	0.993	0.003	0.003	0.861	0.928	949	949	0.987 0.998
Antenatal care	RH.3	0.905	0.009	0.010	0.885	0.941	949	949	0.887 0.923
Contraceptive prevalence	RH.1	0.683	0.008	0.012	1.197	1.094	3663	3663	0.666 0.700
Adult literacy	ED.8	0.880	0.014	0.015	0.737	0.858	424	424	0.853 0.907
Marriage before age 18	CP.5	0.326	0.009	0.027	1.355	1.164	3873	3873	0.309 0.344
Comprehensive knowledge about HIV prevention among young people	HA.3	0.198	0.008	0.040	1.527	1.236	3955	3955	0.182 0.213
Attitude towards people with HIV/AIDS	HA.5	0.197	0.009	0.045	1.785	1.336	3632	3632	0.180 0.215
Knowledge of mother- to-child transmission of HIV	HA.4	0.451	0.010	0.023	1.760	1.327	3955	3955	0.430 0.472
UNDER-5s									
Underweight prevalence	NU.1	0.046	0.005	0.099	0.896	0.946	1892	1892	0.037 0.055
Tuberculosis immunization coverage	CH.2	0.973	0.009	0.009	1.165	1.079	408	408	0.956 0.990
Polio immunization coverage	CH.2	0.978	0.007	0.007	0.913	0.955	408	408	0.964 0.992
Immunization coverage for DPT	CH.2	0.973	0.007	0.007	0.755	0.869	406	406	0.959 0.987
Measles immunization coverage	CH.2	0.975	0.008	0.008	1.030	1.015	408	408	0.960 0.991
Fully immunized children	CH.2	0.931	0.011	0.011	0.711	0.843	408	408	0.910 0.953
Acute respiratory infection in last two weeks	CH.6	0.171	0.010	0.056	1.541	1.241	2381	2381	0.152 0.191
Antibiotic treatment of suspected pneumonia	CH.7	0.672	0.021	0.031	0.776	0.881	408	408	0.631 0.713
Diarrhoea in last two weeks	CH.4	0.099	0.007	0.069	1.249	1.118	2381	2381	0.085 0.112
Received ORT or increased fluids and continued feeding	CH.5	0.289	0.023	0.080	0.614	0.784	235	235	0.243 0.336
Support for learning	CD.1	0.645	0.012	0.019	1.617	1.272	2381	2381	0.620 0.670
Birth registration	CP.1	0.984	0.003	0.003	1.316	1.147	2381	2381	0.978 0.990

Table SE.3: Sampling errors: Tripoli Region

Standard errors, coefficients of variation, design effects ($deff$), square root of design effects ($deft$) and confidence intervals for selected indicators, Palestinians' Refugee Camps in Lebanon, 2006

	Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect ($deff$)	Square root of design effect ($deft$)	Confidence limits		
							$r - 2se$	$r + 2se$	
HOUSEHOLDS									
Iodized salt consumption	NU.5	0.997	0.002	0.002	1.502	1.226	1200	1200	0.993 1.000
Child discipline	CP.4	0.925	0.012	0.013	1.268	1.126	643	643	0.902 0.949
HOUSEHOLD MEMBERS									
Use of improved drinking water sources	EN.1	0.953	0.009	0.009	1.983	1.408	6165	1200	0.936 0.971
Use of improved sanitation facilities	EN.5	0.999	0.001	0.001	1.186	1.089	6165	1200	0.997 1.000
Net primary school attendance rate	ED.3	0.958	0.008	0.008	1.275	1.129	896	896	0.942 0.973
Net secondary school attendance rate	ED.4	0.612	0.017	0.028	1.216	1.103	995	995	0.578 0.646
Primary completion rate	ED.6	0.486	0.048	0.099	1.272	1.128	138	138	0.389 0.582
Child labour	CP.2	0.013	0.003	0.253	1.358	1.165	1575	1575	0.007 0.020
Prevalence of orphans	HA.10	0.038	0.006	0.153	2.328	1.526	2539	2539	0.026 0.049
WOMEN									
Skilled attendant at delivery	RH.5	0.989	0.008	0.008	0.988	0.994	177	177	0.973 1.000
Antenatal care	RH.3	0.915	0.028	0.031	1.828	1.352	177	177	0.858 0.972
Contraceptive prevalence	RH.1	0.622	0.022	0.035	1.406	1.186	693	693	0.578 0.666
Adult literacy	ED.8	0.871	0.033	0.038	0.666	0.816	70	70	0.806 0.937
Marriage before age 18	CP.5	0.374	0.020	0.053	1.245	1.116	740	740	0.335 0.414
Comprehensive knowledge about HIV prevention among young people	HA.3	0.102	0.013	0.123	1.304	1.142	753	753	0.077 0.127
Attitude towards people with HIV/AIDS	HA.5	0.120	0.012	0.101	0.912	0.955	659	659	0.096 0.144
Knowledge of mother- to-child transmission of HIV	HA.4	0.444	0.022	0.050	1.484	1.218	753	753	0.399 0.488
UNDER-5s									
Underweight prevalence	NU.1	0.012	0.005	0.428	0.925	0.962	407	407	0.002 0.023
Tuberculosis immunization coverage	CH.2	0.979	0.010	0.010	0.474	0.688	96	96	0.959 0.999
Polio immunization coverage	CH.2	1.000	0.000	0.000	.	.	96	96	1.000 1.000
Immunization coverage for DPT	CH.2	1.000	0.000	0.000	.	.	96	96	1.000 1.000
Measles immunization coverage	CH.2	1.000	0.000	0.000	.	.	96	96	1.000 1.000
Fully immunized children	CH.2	0.979	0.010	0.010	0.474	0.688	96	96	0.959 0.999
Acute respiratory infection in last two weeks	CH.6	0.167	0.026	0.155	2.260	1.503	473	473	0.115 0.219
Antibiotic treatment of suspected pneumonia	CH.7	0.367	0.030	0.082	0.305	0.552	79	79	0.307 0.427
Diarrhoea in last two weeks	CH.4	0.080	0.012	0.145	0.866	0.931	473	473	0.057 0.104
Received ORT or increased fluids and continued feeding	CH.5	*	*	*	*	*	38	38	* *
Support for learning	CD.1	0.558	0.028	0.050	1.510	1.229	473	473	0.502 0.614
Birth registration	CP.1	0.979	0.008	0.008	1.337	1.156	473	473	0.964 0.994

Table SE.4: Sampling errors: Beirut Region

Standard errors, coefficients of variation, design effects ($deff$), square root of design effects ($deft$) and confidence intervals for selected indicators, Palestinians' Refugee Camps in Lebanon, 2006

	Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect ($deff$)	Square root of design effect ($deft$)	Confidence limits		
							$r -$ $2se$	$r +$ $2se$	
HOUSEHOLDS									
Iodized salt consumption	NU.5	0.999	0.001	0.001	1.000	1.000	1409	1409	0.998 1.000
Child discipline	CP.4	0.960	0.009	0.010	1.625	1.275	720	720	0.941 0.978
HOUSEHOLD MEMBERS									
Use of improved drinking water sources	EN.1	0.686	0.035	0.051	7.907	2.812	6086	1409	0.617 0.756
Use of improved sanitation facilities	EN.5	1.000	0.000	0.000	.	.	6086	1409	1.000 1.000
Net primary school attendance rate	ED.3	0.946	0.008	0.008	0.919	0.959	785	785	0.931 0.962
Net secondary school attendance rate	ED.4	0.631	0.025	0.039	2.201	1.484	845	845	0.581 0.680
Primary completion rate	ED.6	0.400	0.044	0.111	1.018	1.009	125	125	0.311 0.489
Child labour	CP.2	0.014	0.003	0.239	1.096	1.047	1388	1388	0.007 0.020
Prevalence of orphans	HA.10	0.037	0.006	0.167	2.431	1.559	2301	2301	0.024 0.049
WOMEN									
Skilled attendant at delivery	RH.5	1.000	0.000	0.000	.	.	154	154	1.000 1.000
Antenatal care	RH.3	1.000	0.000	0.000	.	.	154	154	1.000 1.000
Contraceptive prevalence	RH.1	0.705	0.016	0.023	1.008	1.004	801	801	0.673 0.738
Adult literacy	ED.8	0.871	0.038	0.043	1.160	1.077	93	93	0.796 0.946
Marriage before age 18	CP.5	0.278	0.015	0.053	0.925	0.962	862	862	0.249 0.308
Comprehensive knowledge about HIV prevention among young people	HA.3	0.201	0.016	0.079	1.390	1.179	880	880	0.169 0.233
Attitude towards people with HIV/AIDS	HA.5	0.161	0.014	0.090	1.287	1.135	832	832	0.132 0.190
Knowledge of mother- to-child transmission of HIV	HA.4	0.449	0.022	0.050	1.779	1.334	880	880	0.404 0.494
UNDER-5s									
Underweight prevalence	NU.1	0.081	0.012	0.144	0.655	0.809	359	359	0.057 0.104
Tuberculosis immunization coverage	CH.2	0.911	0.050	0.055	1.716	1.310	56	56	0.810 1.000
Polio immunization coverage	CH.2	1.000	0.000	0.000	.	.	56	56	1.000 1.000
Immunization coverage for DPT	CH.2	1.000	0.000	0.000	.	.	56	56	1.000 1.000
Measles immunization coverage	CH.2	1.000	0.000	0.000	.	.	56	56	1.000 1.000
Fully immunized children	CH.2	0.893	0.041	0.046	0.958	0.979	56	56	0.811 0.975
Acute respiratory infection in last two weeks	CH.6	0.148	0.019	0.130	1.453	1.205	492	492	0.110 0.187
Antibiotic treatment of suspected pneumonia	CH.7	0.658	0.082	0.125	2.167	1.472	73	73	0.493 0.822
Diarrhoea in last two weeks	CH.4	0.079	0.016	0.199	1.681	1.297	492	492	0.048 0.111
Received ORT or increased fluids and continued feeding	CH.5	*	*	*	*	*	39	39	* *
Support for learning	CD.1	0.689	0.023	0.033	1.168	1.081	492	492	0.644 0.734
Birth registration	CP.1	0.990	0.005	0.005	1.393	1.180	492	492	0.979 1.000

Table SE.5: Sampling errors: Bekaa Region

Standard errors, coefficients of variation, design effects ($deff$), square root of design effects ($deft$) and confidence intervals for selected indicators, Palestinians' Refugee Camps in Lebanon, 2006

	Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect ($deff$)	Square root of design effect ($deft$)	Confidence limits		
							$r - 2se$	$r + 2se$	
HOUSEHOLDS									
Iodized salt consumption	NU.5	0.998	0.002	0.002	1.000	1.000	435	435	0.993 1.000
Child discipline	CP.4	0.940	0.018	0.020	1.382	1.176	233	233	0.903 0.977
HOUSEHOLD MEMBERS									
Use of improved drinking water sources	EN.1	0.979	0.013	0.014	3.742	1.934	2108	435	0.953 1.000
Use of improved sanitation facilities	EN.5	1.000	0.000	0.000	.	.	2108	435	1.000 1.000
Net primary school attendance rate	ED.3	0.970	0.009	0.010	0.851	0.922	296	296	0.951 0.988
Net secondary school attendance rate	ED.4	0.599	0.042	0.070	2.560	1.600	352	352	0.516 0.683
Primary completion rate	ED.6	0.548	0.071	0.129	0.823	0.907	42	42	0.407 0.689
Child labour	CP.2	0.006	0.004	0.746	1.678	1.295	498	498	0.000 0.015
Prevalence of orphans	HA.10	0.033	0.010	0.312	2.709	1.646	826	826	0.012 0.053
WOMEN									
Skilled attendant at delivery	RH.5	1.000	0.000	0.000	.	.	62	62	1.000 1.000
Antenatal care	RH.3	0.984	0.016	0.016	0.946	0.973	62	62	0.952 1.000
Contraceptive prevalence	RH.1	0.675	0.031	0.047	1.107	1.052	246	246	0.612 0.738
Adult literacy	ED.8	*	*	*	*	*	19	19	* *
Marriage before age 18	CP.5	0.292	0.024	0.082	0.705	0.840	257	257	0.244 0.340
Comprehensive knowledge about HIV prevention among young people	HA.3	0.257	0.021	0.083	0.622	0.788	261	261	0.214 0.299
Attitude towards people with HIV/AIDS	HA.5	0.245	0.031	0.128	1.327	1.152	249	249	0.182 0.308
Knowledge of mother- to-child transmission of HIV	HA.4	0.387	0.046	0.118	2.279	1.510	261	261	0.296 0.478
UNDER-5s									
Underweight prevalence	NU.1	0.008	0.009	1.037	1.074	1.037	120	120	0.000 0.026
Tuberculosis immunization coverage	CH.2	*	*	*	*	*	15	15	* *
Polio immunization coverage	CH.2	*	*	*	*	*	15	15	* *
Immunization coverage for DPT	CH.2	*	*	*	*	*	15	15	* *
Measles immunization coverage	CH.2	*	*	*	*	*	15	15	* *
Fully immunized children	CH.2	*	*	*	*	*	15	15	* *
Acute respiratory infection in last two weeks	CH.6	0.141	0.033	0.231	1.237	1.112	142	142	0.076 0.206
Antibiotic treatment of suspected pneumonia	CH.7	0.800	0.100	0.125	1.188	1.090	20	20	* *
Diarrhoea in last two weeks	CH.4	0.190	0.025	0.130	0.561	0.749	142	142	0.141 0.240
Received ORT or increased fluids and continued feeding	CH.5	*	*	*	*	*	27	27	* *
Support for learning	CD.1	0.592	0.038	0.064	0.825	0.908	142	142	0.516 0.667
Birth registration	CP.1	0.972	0.015	0.015	1.130	1.063	142	142	0.942 1.000

Table SE.6: Sampling errors: Sidon Region

Standard errors, coefficients of variation, design effects ($deff$), square root of design effects ($deft$) and confidence intervals for selected indicators, Palestinians' Refugee Camps in Lebanon, 2006

	Table	Value (\bar{r})	Standard error (se)	Coefficient of variation (se/\bar{r})	Design effect ($deff$)	Square root of design effect ($deft$)	Confidence limits			
							Weighted count	Unweighted count	$\bar{r} -$ $2se$	
HOUSEHOLDS										
Iodized salt consumption	NU.5	0.999	0.001	0.001	1.001	1.000	1826	1826	0.997	1.000
Child discipline	CP.4	0.977	0.005	0.005	1.104	1.051	992	992	0.967	0.987
HOUSEHOLD MEMBERS										
Use of improved drinking water sources	EN.1	0.975	0.006	0.006	2.859	1.691	8496	1826	0.962	0.987
Use of improved sanitation facilities	EN.5	1.000	0.000	0.000	.	.	8496	1826	1.000	1.000
Net primary school attendance rate	ED.3	0.948	0.007	0.007	1.093	1.045	1203	1203	0.934	0.961
Net secondary school attendance rate	ED.4	0.666	0.016	0.024	1.612	1.270	1364	1364	0.633	0.698
Primary completion rate	ED.6	0.413	0.032	0.079	0.944	0.972	218	218	0.348	0.478
Child labour	CP.2	0.024	0.006	0.267	3.802	1.950	2174	2174	0.011	0.037
Prevalence of orphans	HA.10	0.044	0.007	0.154	3.893	1.973	3574	3574	0.030	0.057
WOMEN										
Skilled attendant at delivery	RH.5	0.985	0.006	0.006	0.816	0.903	331	331	0.973	0.997
Antenatal care	RH.3	0.789	0.021	0.027	0.881	0.939	331	331	0.746	0.831
Contraceptive prevalence	RH.1	0.688	0.015	0.021	1.143	1.069	1162	1162	0.659	0.718
Adult literacy	ED.8	0.895	0.015	0.017	0.356	0.596	153	153	0.866	0.925
Marriage before age 18	CP.5	0.351	0.018	0.051	1.662	1.289	1190	1190	0.316	0.387
Comprehensive knowledge about HIV prevention among young people	HA.3	0.198	0.018	0.091	2.513	1.585	1225	1225	0.161	0.234
Attitude towards people with HIV/AIDS	HA.5	0.264	0.021	0.081	2.575	1.605	1084	1084	0.221	0.307
Knowledge of mother- to-child transmission of HIV	HA.4	0.430	0.021	0.048	2.151	1.467	1225	1225	0.389	0.472
UNDER-5s										
Underweight prevalence	NU.1	0.045	0.007	0.151	0.624	0.790	577	577	0.031	0.059
Tuberculosis immunization coverage	CH.2	1.000	0.000	0.000	.	.	136	136	1.000	1.000
Polio immunization coverage	CH.2	0.949	0.019	0.020	0.992	0.996	136	136	0.911	0.986
Immunization coverage for DPT	CH.2	0.949	0.019	0.020	0.992	0.996	136	136	0.911	0.986
Measles immunization coverage	CH.2	0.956	0.019	0.020	1.128	1.062	136	136	0.918	0.993
Fully immunized children	CH.2	0.949	0.019	0.020	0.992	0.996	136	136	0.911	0.986
Acute respiratory infection in last two weeks	CH.6	0.202	0.019	0.093	1.587	1.260	724	724	0.164	0.239
Antibiotic treatment of suspected pneumonia	CH.7	0.808	0.025	0.031	0.572	0.757	146	146	0.759	0.858
Diarrhoea in last two weeks	CH.4	0.102	0.012	0.114	1.073	1.036	724	724	0.079	0.126
Received ORT or increased fluids and continued feeding	CH.5	0.284	0.041	0.145	0.606	0.778	74	74	0.202	0.366
Support for learning	CD.1	0.793	0.016	0.020	1.071	1.035	724	724	0.762	0.824
Birth registration	CP.1	0.992	0.003	0.003	0.648	0.805	724	724	0.986	0.997

Table SE.7: Sampling errors: Sur Region

Standard errors, coefficients of variation, design effects ($deff$), square root of design effects ($deft$) and confidence intervals for selected indicators, Palestinians' Refugee Camps in Lebanon, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/ r)	Design effect ($deff$)	Square root of design effect ($deft$)	Weighted count	Unweighted count	Confidence limits		
								$r - 2se$	$r + 2se$	
HOUSEHOLDS										
Iodized salt consumption	NU.5	0.999	0.001	0.001	1.001	1.000	1232	1232	0.998	1.000
Child discipline	CP.4	0.929	0.010	0.011	1.136	1.066	694	694	0.909	0.950
HOUSEHOLD MEMBERS										
Use of improved drinking water sources	EN.1	0.984	0.004	0.004	1.578	1.256	6271	1297	0.975	0.993
Use of improved sanitation facilities	EN.5	0.998	0.001	0.001	1.185	1.089	6271	1297	0.995	1.000
Net primary school attendance rate	ED.3	0.930	0.010	0.011	1.396	1.182	874	874	0.910	0.951
Net secondary school attendance rate	ED.4	0.627	0.020	0.032	1.962	1.401	1107	1107	0.586	0.668
Primary completion rate	ED.6	0.165	0.034	0.205	1.346	1.160	164	164	0.097	0.232
Child labour	CP.2	0.008	0.002	0.290	1.102	1.050	1550	1550	0.004	0.013
Prevalence of orphans	HA.10	0.033	0.007	0.203	3.744	1.935	2690	2690	0.019	0.046
WOMEN										
Skilled attendant at delivery	RH.5	1.000	0.000	0.000	.	.	225	225	1.000	1.000
Antenatal care	RH.3	0.982	0.008	0.008	0.823	0.907	225	225	0.966	0.998
Contraceptive prevalence	RH.1	0.708	0.019	0.026	1.287	1.134	761	761	0.671	0.746
Adult literacy	ED.8	0.888	0.031	0.035	0.847	0.920	89	89	0.826	0.950
Marriage before age 18	CP.5	0.308	0.021	0.068	1.671	1.293	824	824	0.267	0.350
Comprehensive knowledge about HIV prevention among young people	HA.3	0.262	0.015	0.058	1.009	1.004	836	836	0.231	0.293
Attitude towards people with HIV/AIDS	HA.5	0.194	0.018	0.094	1.714	1.309	808	808	0.158	0.231
Knowledge of mother-to-child transmission of HIV	HA.4	0.511	0.019	0.038	1.270	1.127	836	836	0.472	0.550
UNDER-5s										
Underweight prevalence	NU.1	0.061	0.014	0.224	1.381	1.175	429	429	0.033	0.088
Tuberculosis immunization coverage	CH.2	0.962	0.016	0.017	0.730	0.854	105	105	0.930	0.994
Polio immunization coverage	CH.2	0.981	0.013	0.013	0.922	0.960	105	105	0.955	1.000
Immunization coverage for DPT	CH.2	0.981	0.013	0.013	0.921	0.960	103	103	0.954	1.000
Measles immunization coverage	CH.2	0.962	0.018	0.019	0.948	0.974	105	105	0.925	0.998
Fully immunized children	CH.2	0.895	0.021	0.024	0.505	0.710	105	105	0.853	0.938
Acute respiratory infection in last two weeks	CH.6	0.164	0.015	0.092	0.910	0.954	550	550	0.134	0.194
Antibiotic treatment of suspected pneumonia	CH.7	0.700	0.035	0.050	0.524	0.724	90	90	0.630	0.770
Diarrhoea in last two weeks	CH.4	0.104	0.017	0.161	1.651	1.285	550	550	0.070	0.137
Received ORT or increased fluids and continued feeding	CH.5	0.316	0.058	0.183	0.869	0.932	57	57	0.200	0.432
Support for learning	CD.1	0.500	0.032	0.063	2.196	1.482	550	550	0.437	0.563
Birth registration	CP.1	0.975	0.008	0.009	1.572	1.254	550	550	0.958	0.991